

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20020077136"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 11:18
L2	2	L1 AND (synch\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 11:19
L3	2	L1 AND ("28" SAME "18")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 11:23
L4	2	L1 AND ("28")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 11:23
L5	9	(synch\$) WITH (PTT near5 server\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 13:15
L6	11	(synch\$) WITH (PTT WITH server\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 13:17
L7	119	(push\$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (direct ADJ voice ADJ communicat \$4) or (press\$1to\$1talk) or (press ADJ to ADJ talk)) SAME (synch\$) SAME (processor\$2 or (service ADJ provider\$3) or server\$3 or database \$3 or manager\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 13:21

L8	101	(push\$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (direct ADJ voice ADJ communicat \$4) or (press\$1to\$1talk) or (press ADJ to ADJ talk)) SAME (synch\$) SAME (server\$3 or database\$3 or manager \$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 13:22
L9	29	(push\$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (direct ADJ voice ADJ communicat \$4) or (press\$1to\$1talk) or (press ADJ to ADJ talk)) WITH (synch\$) WITH (server\$3 or database\$3 or manager \$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 13:22
L10	1	"20040047332"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/01/28 13:31
S1	3	("20020150091"   "20020150092"   "6304558").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 13:16
S2	1	10/570557.APP.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 13:19
S3	3	((STEPHAN) near2 (BLICKER)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/09 09:35
S4	3	((MATTHIAS) near2 (BRITSCH)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/09 09:36
S5	3	((NORBERT) near2 (ESSELING)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/09 09:36

S6	7	S3 or S4 or S5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 09:37
S7	1	S6 AND ((operator AND (push\$1to\$1talk or PTT) AND server\$2 AND synchron\$6).CLM.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 09:38
S8	2	("20020077136"   "20050276268").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:09
S9	1	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) near8 ((service ADJ provider) or server \$3 or database\$3 or manager\$2) near8 (synchron\$8)) SAME (push\$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to \$1talk ADJ over ADJ cellular) or (push\$1to \$1talk\$2over\$2cellular) or (PTT\$2over\$2cellular) or (press\$1to\$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:31
S10	2	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) WITH ((service ADJ provider) or server \$3 or database\$3 or manager\$2) WITH (synchron\$8)) SAME (push\$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to \$1talk ADJ over ADJ cellular) or (push\$1to \$1talk\$2over\$2cellular) or (PTT\$2over\$2cellular) or (press\$1to\$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:33

S11	19	((service ADJ provider) or server\$3 or database \$3 or manager\$2) near7 (synchron\$8) near7 (push \$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (press\$1to \$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:36
S12	26	((service ADJ provider) or server\$3 or database \$3 or manager\$2) WITH (synchron\$8) WITH (push \$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (press\$1to \$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:41
S13	7	S12 NOT S11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 11:41
S14	13	((push\$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push\$1to \$1talk ADJ over ADJ cellular) or (push\$1to \$1talk\$2over\$2cellular) or (PTT\$2over\$2cellular) or (press\$1to\$1talk) or (press ADJ to ADJ talk)) ADJ ((service ADJ provider) or server\$3 or database\$3 or manager \$2) WITH (synchron\$8) WITH ((push\$1to\$1talk or PTT or (push ADJ to ADJ talk) or PoC or (push \$1to\$1talk ADJ over ADJ cellular) or (push\$1to \$1talk\$2over\$2cellular) or (PTT\$2over\$2cellular) or (press\$1to\$1talk) or (press ADJ to ADJ talk)) ADJ ((service ADJ provider) or server\$3 or	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 12:09

		database\$3 or manager (\$2))				
S15	26901	((service ADJ provider) or server\$3 or database \$3 or manager\$2) WITH (synchron\$7) WITH ((service ADJ provider) or server\$3 or database \$3 or manager\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 12:59
S16	16430	((service ADJ provider) or server\$3 or database \$3 or manager\$2) near7 (synchron\$7) near7 ((service ADJ provider) or server\$3 or database \$3 or manager\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:00
S17	28	S16 SAME (push\$1to \$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:02
S18	26901	((service ADJ provider) or server\$3 or database \$3 or manager\$2) WITH (synchron\$7) WITH ((service ADJ provider) or server\$3 or database \$3 or manager\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:03
S19	40	S18 SAME (push\$1to \$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (direct ADJ voice ADJ communicat \$4) or (press\$1to\$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:05
S20	14	S19 NOT S12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 13:11

S21	12	((server\$3) near5 (synchron\$7) near5 server\$3) WITH (PTT or PoC)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:16
S22	6497	((server\$3) near5 (synchron\$7) near5 server\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:18
S23	15	S22 AND 455/517,518,519.CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:19
S24	339	((server\$3) near5 (synchron\$7) near5 server\$3) AND "455".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:43
S25	74	((server\$3) ADJ5 (synchron\$7) ADJ5 server\$3) AND "455".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:51
S26	104	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 ((service ADJ provider) or server\$3 or database\$3 or manager\$2)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular) or (direct ADJ voice ADJ communicat\$4) or (press\$1to\$1talk) or (press ADJ to ADJ talk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 14:59
S27	104	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 ((service ADJ provider) or server\$3 or database\$3 or manager\$2)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:00

		\$2cellular))				
S28	75	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near7 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:14
S29	329	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) WITH ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:26
S30	313	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) near7 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) SAME (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:29

S31	171	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) near7 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near7 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:29
S32	94	S31 AND "455".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:29
S33	58	S32 NOT S28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:30
S34	96	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ7 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near5 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:31
S35	15	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) ADJ5 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:32

S36	254	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ10 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) SAME (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:34
S37	86	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ4 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:35
S38	57	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ4 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near6 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:35

S39	52	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ4 ((service ADJ provider) or server \$3 or database\$3 or manager\$2)) near5 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 15:35
S40	422	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 (device\$2 or terminal\$2 or mobile\$2 or cellular)) WITH (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 16:03
S41	254	((plural\$3 OR multipl\$6 OR several OR two OR various OR numerous OR many) ADJ5 (device\$2 or terminal\$2 or mobile\$2 or cellular)) near5 (push \$1to\$1talk or PTT or (push near2 talk) or (push ADJ to ADJ talk) or PoC or (push\$1to\$1talk ADJ over ADJ cellular) or (push\$1to\$1talk\$2over \$2cellular) or (PTT\$2over \$2cellular))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 16:04
S42	139	S41 AND "455".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/09 16:04
S43	2	"20020077136"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/10 09:31

S44	2551	(synchron\$8) WITH (plurality) WITH (terminal\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/10 11:45
S45	1	S44 AND ("20040047332")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/10 11:46
S46	1	("20040047332") AND ((synchron\$8 WITH terminal\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/10 11:49
S47	1	10/570557.APP.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 11:44
S48	1	S47 AND (group near4 address\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 11:45
S49	0	S47 AND ((group near4 address\$4) WITH existing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 11:46
S50	0	S47 AND ((group near4 address\$4) WITH assign\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 11:46
S51	1	S47 AND (synch\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 13:08
S52	1	S47 AND (address\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/10/10 13:09

1/28/2009 2:25:56 PM

C:\Documents and Settings\ajain1\My Documents\EAST\Workspaces\10570557.wsp